


Câble de raccordement DCS LCDU/PC - LCDU/PC, G50/125 OM4

Haute performance



Câble patch DCS (FR/LSZH), 2 fibres OM4

Description

Uniboot patch cable with Intelli-Cross® mechanism for fast polarity change.
Compact cable design with FR/LSOH cable sheath (2.1 mm) and 2 fibres.
Available in standard lengths up to 10 m.
Other lengths available on request.
Connectivity A to A or A to B.
Sticker labelling at both cable ends.
Each patch cable is equipped with push-pull tabs.

Application

The LCD to LCD patch cables for are suitable for all high-performance applications with duplex signals in the data center environment.
The round patch cables are assembled with LCD Uniboot Intelli-Cross Pro connectors (high-performance) at both ends.
The patch cables are assembled to a very high quality and guarantee optimum values for optical performance (IL/RL).

Construction

Câble	rond
Couleur de la gaine	violet bruyère
Gaine extérieure	FR/LSZH

Propriétés optiques

Type de fibre	G50/125 OM4
Matériel de virole	Zirconia
Connector type side A	LCDU/PC
Ferrule polissage connecteur A	PC 0°
Perte d'insertion IL maximal connecteur A	0,25 dB
Perte d'insertion IL moyenne connecteur A	0,12 dB
Atténuation de réflexion RL minimal connecteur A	35 dB
Atténuation de réflexion RL moyenne connecteur A	40 dB
Connector type side B	LCDU/PC
Ferrule polissage connecteur B	PC 0°
Perte d'insertion IL maximal connecteur B	0,25 dB
Perte d'insertion IL moyenne connecteur B	0,12 dB
Atténuation de réflexion RL minimal connecteur B	35 dB
Atténuation de réflexion RL moyenne connecteur B	40 dB

Propriétés mécaniques

Couleur du boîtier connecteur A	violet bruyère
Couleur du boîtier connecteur B	violet bruyère

Contenu de la livraison

Câble patch DCS (FR/LSOH) avec 2 fibres OM4
 Assemblage de connecteurs haute performance avec le LCD Uniboot Intelli-Cross Pro.
 Tous les connecteurs y compris les languettes push-pull.
 étiquetage avec autocollants aux deux extrémités du câble.

Normes

Densité De Fumée	IEC 61034-1/-2
Zéro halogène, pas de gaz corrosifs	IEC 60754-1/-2
Propagation de flamme	IEC 60332-1-2
Propagation de la flamme	IEC 60332-3-22

Remarque

Connectivity methods according to TIA-568-C.3 and EN 50174-1

Versions

Numéro de matériau	Produit	Longueur (m)	Polarité	Poids [kg]	Unité d'emballage	GTIN / EAN
47342000ZY	DCS patch cable LCDU/PC - LCDU/PC	1	A vers A	0,02 kg	1 pc.	40393910000115
47342100ZY	DCS patch cable LCDU/PC - LCDU/PC	2	A vers A	0,02 kg	1 pc.	403939100007039
47342200ZY	DCS patch cable LCDU/PC - LCDU/PC	3	A vers A	0,03 kg	1 pc.	403939100007022
47342300ZY	DCS patch cable LCDU/PC - LCDU/PC	4	A vers A	0,03 kg	1 pc.	403939100007015
47342400ZY	DCS patch cable LCDU/PC - LCDU/PC	5	A vers A	0,04 kg	1 pc.	403939100007008

Numéro de matériau	Produit	Longueur (m)	Polarité	Poids [kg]	Unité d'emballage	GTIN / EAN
47342500ZY	DCS patch cable LCDU/PC - LCDU/PC	6	A vers A	0,04 kg	1 pc.	40393910006995
47342600ZY	DCS patch cable LCDU/PC - LCDU/PC	7	A vers A	0,04 kg	1 pc.	40393910006988
47342700ZY	DCS patch cable LCDU/PC - LCDU/PC	8	A vers A	0,05 kg	1 pc.	40393910006971
47342800ZY	DCS patch cable LCDU/PC - LCDU/PC	9	A vers A	0,05 kg	1 pc.	40393910006964
47342900ZY	DCS patch cable LCDU/PC - LCDU/PC	10	A vers A	0,06 kg	1 pc.	40393910006957
47340000ZY	DCS patch cable LCDU/PC - LCDU/PC	1	A vers B	0,02 kg	1 pc.	40393910007145
47340100ZY	DCS patch cable LCDU/PC - LCDU/PC	2	A vers B	0,02 kg	1 pc.	40393910007138
47340200ZY	DCS patch cable LCDU/PC - LCDU/PC	3	A vers B	0,03 kg	1 pc.	40393910007121
47340300ZY	DCS patch cable LCDU/PC - LCDU/PC	4	A vers B	0,03 kg	1 pc.	40393910007114
47340400ZY	DCS patch cable LCDU/PC - LCDU/PC	5	A vers B	0,04 kg	1 pc.	40393910007107
47340500ZY	DCS patch cable LCDU/PC - LCDU/PC	6	A vers B	0,04 kg	1 pc.	40393910007091
47340600ZY	DCS patch cable LCDU/PC - LCDU/PC	7	A vers B	0,04 kg	1 pc.	40393910007084
47340700ZY	DCS patch cable LCDU/PC - LCDU/PC	8	A vers B	0,05 kg	1 pc.	40393910007077
47340800ZY	DCS patch cable LCDU/PC - LCDU/PC	9	A vers B	0,05 kg	1 pc.	40393910007060
47340900ZY	DCS patch cable LCDU/PC - LCDU/PC	10	A vers B	0,06 kg	1 pc.	40393910007053

Intelli-Cross® est une marque déposée de SEIKOH GIKEN Co., Ltd.

Sous réserve de modifications techniques

A partir de 2023-11-23 13:03:00