


FTTH inhouse cable solution "Squeeze"

Premontado



Cable interno de fibra óptica premontado con la salida de datos de pared "Squeeze" (AP)

Description

Cable FTTH premontado enrollado en una caja de envoltorio reciclable.

Disponible con o sin la salida de datos FTTH de montaje en pared "Squeeze", 88 x 88 mm (Esta salida de datos permite la adaptación de las salidas existentes).

Muy fácil de alimentar en los sistemas de tuberías debido a un pequeño enganche.

Impresión de aplicaciones

Cableado para interior FTTH, utilizado típicamente para conectar el punto de entrada del edificio (BEP) con la salida de telecomunicación óptica o la salida de terminación óptica (OTO).

Versions

Número de material	Producto	Número de adaptadores	Adaptadores	Pigtails	Number of pigtails	Type of pigtails	Peso [kg]
3800485	FO Indoor cable with 2x LC/APC connector / Squeeze with 1x LC/APC duplex adapter	1	LCD/APC		2	LC/APC	0,22 kg
3800486	FO Indoor cable with 2x LC/APC connector / Squeeze with 1x LC/APC duplex adapter	1	LCD/APC		2	LC/APC	0,23 kg
3800487	FO Indoor cable with 2x LC/APC connector / Squeeze with 1x LC/APC duplex adapter	1	LCD/APC		2	LC/APC	0,23 kg
3800488	FO Indoor cable with 2x LC/APC connector / Squeeze with 1x LC/APC duplex adapter	1	LCD/APC		2	LC/APC	0,24 kg
3800489	FO Indoor cable with 2x LC/APC connector / Squeeze with 1x LC/APC duplex adapter	1	LCD/APC		2	LC/APC	0,24 kg
3800490	FO Indoor cable with 2x LC/APC connector / Squeeze with 1x LC/APC duplex adapter	1	LCD/APC		2	LC/APC	0,25 kg
3800491	FO Indoor cable with 2x LC/APC connector / Squeeze with 1x LC/APC duplex adapter	1	LCD/APC		2	LC/APC	0,25 kg
3800492	FO Indoor cable with 2x LC/APC connector / Squeeze with 1x LC/APC duplex adapter	1	LCD/APC		2	LC/APC	0,26 kg
3800493	FO Indoor cable with 2x LC/APC connector / Squeeze with 1x LC/APC duplex adapter	1	LCD/APC		2	LC/APC	0,26 kg



Número de material	Producto	Número de adaptadores	Adaptadores	Pigtails	Number of pigtails	Type of pigtails	Peso [kg]
3800494	FO Indoor cable with 2x LC/APC connector / Squeeze with 1x LC/APC duplex adapter	1	LCD/APC		2	LC/APC	0,27 kg
3800495	FO Indoor cable with 2x LC/APC connector / Squeeze with 1x LC/APC duplex adapter	1	LCD/APC		2	LC/APC	0,27 kg
3800496	FO Indoor-Kabel mit 2x LC/APC-Stecker / Squeeze mit 1x LC/APC Duplex-Kupplung	1	LCD/APC		2	LC/APC	0,28 kg
3800497	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0,22 kg
3800498	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0,23 kg
3800499	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0,23 kg
3800472	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0,24 kg
3800471	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0,24 kg
3800470	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0,25 kg
3800469	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0,25 kg
3800468	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0,26 kg
3800467	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0,26 kg
3800466	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0,27 kg
3800465	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0,27 kg
3800464	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0,28 kg
3800463	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0,17 kg
3800409	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0,18 kg
3800410	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0,18 kg



Número de material	Producto	Número de adaptadores	Adaptadores	Pigtails	Number of pigtails	Type of pigtails	Peso [kg]
3800411	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0,19 kg
3800412	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0,19 kg
3800413	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0,2 kg
3800414	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0,2 kg
3800415	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0,21 kg
3800416	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0,21 kg
3800417	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0,22 kg
3800419	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0,22 kg
3800420	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0,23 kg
3800421	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0,17 kg
3800260	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0,18 kg
3855454	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0,18 kg
3855455	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0,19 kg
3855456	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0,19 kg
3855457	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0,2 kg
3855458	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0,2 kg
3855459	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0,21 kg
3855460	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0,21 kg
3855461	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0,22 kg
3855462	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0,22 kg
3855463	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0,23 kg