


# FTTH inhouse cable solution "Squeeze"

Voorgeconfectioneerd



Voorgeconfectioneerde FTTH binnenhuis-kabeloplossing  
with wall-mount data outlet "Squeeze" (AP)

## Beschrijving

Voorgeconfectioneerde FTTH kabeloplossing, opgewonden in een recyclebare blisterdoos.

Beschikbaar met of zonder data aansluitdoos FTTH.

Zeer makkelijk intrekken in kanaalsystemen dank zij de kleine intrekhaak.

## Toepassing

FTTH binnenhuisbekabeling, typisch gebruikt om het toegangspunt van het gebouw (building entry point - BEP) aan te sluiten met de aansluitdoos voor optische telecommunicatie (optical telecommunication outlet - OTO).

## Versions

Materiaal nummer	Artikel	Aantal Adapters	Adapter	Pigtails	Aantal staartjes	Type staartjes	Gewicht [kg]
3800485	FO Indoor FTTH 2.8 mm, tight buffer tube ontwerp	1	LCD/APC		2	LC/APC	0,22 kg
3800486	FO Indoor FTTH 2.8 mm, tight buffer tube ontwerp	1	LCD/APC		2	LC/APC	0,23 kg
3800487	FO Indoor FTTH 2.8 mm, tight buffer tube ontwerp	1	LCD/APC		2	LC/APC	0,23 kg
3800488	FO Indoor FTTH 2.2 mm, coating buffer ontwerp	1	LCD/APC		2	LC/APC	0,24 kg
3800489	FO Indoor FTTH 2.2 mm, coating buffer ontwerp	1	LCD/APC		2	LC/APC	0,24 kg
3800490	FO Indoor FTTH 2.2 mm, coating buffer ontwerp	1	LCD/APC		2	LC/APC	0,25 kg
3800491	FO Indoor cable with 2x LC/APC connector / Squeeze with 1x LC/APC duplex adapter	1	LCD/APC		2	LC/APC	0,25 kg
3800492	FO Indoor cable with 2x LC/APC connector / Squeeze with 1x LC/APC duplex adapter	1	LCD/APC		2	LC/APC	0,26 kg
3800493	FO Indoor cable with 2x LC/APC connector / Squeeze with 1x LC/APC duplex adapter	1	LCD/APC		2	LC/APC	0,26 kg
3800494	FO Indoor cable with 2x LC/APC connector / Squeeze with 1x LC/APC duplex adapter	1	LCD/APC		2	LC/APC	0,27 kg
3800495	FO Indoor cable with 2x LC/APC connector / Squeeze with 1x LC/APC duplex adapter	1	LCD/APC		2	LC/APC	0,27 kg
3800496	FO Indoor-Kabel mit 2x LC/APC-Stecker / Squeeze mit 1x LC/APC Duplex-Kupplung	1	LCD/APC		2	LC/APC	0,28 kg



Materiaal nummer	Artikel	Antaal Adapters	Adapter	Pigtails	Aantal staartjes	Type staartjes	Gewicht [kg]
3800497	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0,22 kg
3800498	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0,23 kg
3800499	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0,23 kg
3800472	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0,24 kg
3800471	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0,24 kg
3800470	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0,25 kg
3800469	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0,25 kg
3800468	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0,26 kg
3800467	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0,26 kg
3800466	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0,27 kg
3800465	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0,27 kg
3800464	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0,28 kg
3800463	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0,17 kg
3800409	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0,18 kg
3800410	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0,18 kg
3800411	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0,19 kg
3800412	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0,19 kg
3800413	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0,2 kg
3800414	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0,2 kg

Materiaal nummer	Artikel	Antaal Adapters	Adapter	Pigtails	Aantal staartjes	Type staartjes	Gewicht [kg]
3800415	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0,21 kg
3800416	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0,21 kg
3800417	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0,22 kg
3800419	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0,22 kg
3800420	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0,23 kg
3800421	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0,17 kg
3800260	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0,18 kg
3855454	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0,18 kg
3855455	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0,19 kg
3855456	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0,19 kg
3855457	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0,2 kg
3855458	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0,2 kg
3855459	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0,21 kg
3855460	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0,21 kg
3855461	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0,22 kg
3855462	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0,22 kg
3855463	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0,23 kg