


FTTH inhouse cable solution “Squeeze”

Pre-assembled



Pre-assembled fibre optic inhouse cable with wall-mount data outlet “Squeeze” (AP)

Description

Pre-assembled FTTH cable wound up in a recyclable blister box.

Available with or without wall-mount FTTH data outlet “Squeeze”, 88 x 88 mm (This data outlet allows for retrofitting existing outlets).

Very easy feeding in pipe systems due to small pull-in hook.

Application

FTTH in-house cabling, used typically to connect the building entry point (BEP) with the optical telecommunication outlet or optical termination outlet (OTO).

Versions

Material number	Product	Number of adapters	Adapter	Pigtails	Number of pigtails	Type of pigtails	Weight [kg]
3800485	FO Indoor cable with 2x LC/APC connector / Squeeze with 1x LC/APC duplex adapter	1	LCD/APC		2	LC/APC	0.22 kg
3800486	FO Indoor cable with 2x LC/APC connector / Squeeze with 1x LC/APC duplex adapter	1	LCD/APC		2	LC/APC	0.23 kg
3800487	FO Indoor cable with 2x LC/APC connector / Squeeze with 1x LC/APC duplex adapter	1	LCD/APC		2	LC/APC	0.23 kg
3800488	FO Indoor cable with 2x LC/APC connector / Squeeze with 1x LC/APC duplex adapter	1	LCD/APC		2	LC/APC	0.24 kg
3800489	FO Indoor cable with 2x LC/APC connector / Squeeze with 1x LC/APC duplex adapter	1	LCD/APC		2	LC/APC	0.24 kg
3800490	FO Indoor cable with 2x LC/APC connector / Squeeze with 1x LC/APC duplex adapter	1	LCD/APC		2	LC/APC	0.25 kg
3800491	FO Indoor cable with 2x LC/APC connector / Squeeze with 1x LC/APC duplex adapter	1	LCD/APC		2	LC/APC	0.25 kg
3800492	FO Indoor cable with 2x LC/APC connector / Squeeze with 1x LC/APC duplex adapter	1	LCD/APC		2	LC/APC	0.26 kg
3800493	FO Indoor cable with 2x LC/APC connector / Squeeze with 1x LC/APC duplex adapter	1	LCD/APC		2	LC/APC	0.26 kg



Material number	Product	Number of adapters	Adapter	Pigtails	Number of pigtails	Type of pigtails	Weight [kg]
3800494	FO Indoor cable with 2x LC/APC connector / Squeeze with 1x LC/APC duplex adapter	1	LCD/APC		2	LC/APC	0.27 kg
3800495	FO Indoor cable with 2x LC/APC connector / Squeeze with 1x LC/APC duplex adapter	1	LCD/APC		2	LC/APC	0.27 kg
3800496	FO Indoor-Kabel mit 2x LC/APC-Stecker / Squeeze mit 1x LC/APC Duplex-Kupplung	1	LCD/APC		2	LC/APC	0.28 kg
3800497	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0.22 kg
3800498	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0.23 kg
3800499	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0.23 kg
3800472	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0.24 kg
3800471	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0.24 kg
3800470	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0.25 kg
3800469	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0.25 kg
3800468	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0.26 kg
3800467	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0.26 kg
3800466	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0.27 kg
3800465	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0.27 kg
3800464	FO Indoor cable with 4x LC/APC connector / Squeeze with 2x LC/APC duplex adapter	2	LCD/APC		4	LC/APC	0.28 kg
3800463	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0.17 kg
3800409	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0.18 kg
3800410	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0.18 kg

Material number	Product	Number of adapters	Adapter	Pigtails	Number of pigtails	Type of pigtails	Weight [kg]
3800411	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0.19 kg
3800412	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0.19 kg
3800413	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0.2 kg
3800414	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0.2 kg
3800415	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0.21 kg
3800416	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0.21 kg
3800417	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0.22 kg
3800419	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0.22 kg
3800420	FO Indoor cable with 2x LC/APC connector (without data outlet Squeeze)			LC/APC	2		0.23 kg
3800421	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0.17 kg
3800260	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0.18 kg
3855454	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0.18 kg
3855455	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0.19 kg
3855456	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0.19 kg
3855457	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0.2 kg
3855458	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0.2 kg
3855459	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0.21 kg
3855460	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0.21 kg
3855461	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0.22 kg
3855462	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0.22 kg
3855463	FO Indoor cable with 4x LC/APC connector (without data outlet Squeeze)			LC/APC	4		0.23 kg