


INSTALLATION INSTRUCTION 安装说明


All text and image materials in this instruction are copyrighted by Datwyler. Any media, websites or individual images shall not be reproduced, linked, posted or otherwise copied, published or posted without our authorization. Authorized media must be marked "Source: Datwyler" when used. Offenders will be prosecuted by the company according to law.

本说明书中所有文字和图片资料，版权均属德特威勒（苏州）电缆系统有限公司所有，任何媒体、网站或个人未经本公司授权不得转载、链接、转贴或以其他方式复制发布/发表。已经本公司授权的在使用时必须注明“稿件来源：德特威勒公司”，违者本公司将依法追究责任。



HDPS Patch Solution - HDPS 高密度配线架

CARTON CONTENTS 示意图 *




CAUTION 注意

Fibre optic is tender and sensitive. Please take care when opening or closing a fully loaded drawer in order to protect the components.


考虑到光纤的敏感性和脆弱性，请务必合理操作，避免损坏光纤组件

INSTALLATION INSTRUCTION 安装说明

UNLOCKING THE FRONT COVER 门锁装置




UNLOCKING THE BACK COVER 箱盖门锁装置




INSTALLATION INSTRUCTION 安装说明

SLIDING TRAY 滑动托盘



Each panel delivered with sliding tray inside
12 pcs of "2-part" sliding tray per 1U

每款配线架在交付时含滑动托盘
1U 产品内附12个滑动托盘




Each sliding tray can be pushed, pulled and removed with the tab from front side

Each sliding tray with management port

每个滑动托盘可以从前端推拉和抽出

每个滑动托盘前端设计有管理环，用于前端线缆的理线



Each sliding tray can be installed with 2 cassettes


Each cassette can be removed from front / rear side

每个滑动托盘可以安装2个光纤盒

每个光纤盒可以从前后抽出维护


INSTALLATION INSTRUCTION 安装说明

CASSETTE INSTALLATION 光纤盒安装 *



Clean MTP/LC adapter and connector before installation


安装前请确保MTP和LC耦合器及连接器清洁无污染



There is a fixation point as shown which can fix the cassette to avoid dropping

Press the fixation point to make the cassette moveable if needed

导轨上设计有锁扣用于固定光纤盒，防止光纤盒掉落
向右按压多口，可以从前端取出光纤盒






* Cassettes to be ordered separately
光纤模块盒需要单独定制

INSTALLATION INSTRUCTION 安装说明

TRUNK LEG FIXATION 预端接光缆固定

Variants 示例



The fibres can be routed as shown or according to actual situation


Use enough cable length when making the loops to leave enough slack, so the cables are not put under tension when the drawer is fully extended

客户可以根据图示或者现场实际情况进行理线

线缆固定时需要预留足够长度的线缆以确保托盘和光纤盒能够完全的抽出维护


INSTALLATION INSTRUCTION 安装说明

PANEL INSTALLATION 配线架安装




Insert the screws (provided) into the desired holes as shown, tighten all screws and ensure the panel be fixed closely

如图所示，将附件中的螺丝装入所需要安装孔位，拧紧所有螺丝并确定配线架已经被固定牢靠



Record the port information on the label inside the front panel

前面板内设置有标签纸，客户可以按照实际情况记录端口信息



Close the front panel

待一切操作完成后，关闭前面板